


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

How to Attract "Wild" Ducks -and Fish



Wild Celery Beds Shown Above
Attract Diving Ducks and Fish

Our 54th Year In Business "1896-1950"

"The Experience of Three Generations is At Your Service"

Let Us Increase Your Production of Fish, Game and Furs, For Food, Fun and Profit

Plant
This
Spring

Attract
More
Ducks
Next Fall



Terrell's
Seeds
Grow

Over
54 Years
of Satis-
factory
Service

FELLOW SPORTSMEN:

TO ATTRACT AND PRODUCE MORE FISH, GAME OR MUSKRATS, you must do more than plant Fish or liberate Pheasants or other Game. You must make suitable HOMES and BREEDING GROUNDS for them! This means ample, suitable FOOD for them all year around, near GOOD COVER where they can escape from enemies and hide their nests. Often you produce much MORE FISH OR WILDLIFE BY IMPROVING THEIR FOOD AND HOMES THAN BY LIBERATING MORE OF THEM!

WHAT TO PLANT. In order to supply suitable food and cover plants that will grow in various localities, Terrell's supply both Northern- and Southern-grown plants; also Salt-water as well as Fresh-water plants. The following partial lists of some of the most suitable plants for various localities, is based on more than 50 years planting experience Terrell's have had in the areas named.

For further information see following pages.

FOR PLANTING IN GREAT LAKES STATES AND PROVINCES

(Number following name of plant indicates page here- in on which plant is described.)

Wild Duck Millet (Bare shore, sow through Aug.) p. 1.
Giant Burreed (Stands drought) p. 2.
Giant Wild Rice (Needs changing water.) p. 3.
Wild Celery (Hard, fresh water) p. 5.
Evergreen Ducks Meat (All-year, green food) p. 5.
Water Shield (Soft water, where no shells) p. 6.

FOR NORTHEASTERN STATES AND PROVINCES

Pickereel Plant p. 1. Wapato, p. 1. Wampee, p. 3.
Wild Celery (Fresh or brackish water with shells) p. 5.
Water Shield (Soft water where no shells) p. 6.
Widgeon Grass (Salty water) p. 6.

FOR FLOOD AREAS OF MISS. R., ILL. R., ETC.
Wapato p. 1. Duck Millet, p. 1. Giant Burreed, p. 2.
Smartweeds, p. 2.

FOR SOUTHERN STATES S. E. OF MISS. R.

Pickereel Plant p. 1. Wampee p. 3.
Horned Pond Plant p. 4. Coontail p. 5.
Wild Celery (Fresh or slightly salt water) p. 5.
Tuberous Waterlily p. 6. Banana Waterlily p. 6.
Water Shield (Soft water where no shells) p. 6.
Frogbit p. 3.

FOR S. KANSAS, OKLAHOMA AND TEXAS

Wapato Duck Potato p. 1. Pickereel Plant p. 1.
Wild Duck Millet p. 1. Giant Burreed p. 2.
Banana Waterlily p. 6. Tuberous Waterlily p. 6.

FOR N. PRAIRIE STATES AND PROVINCES

Wapato Duck Potato p. 1. Giant Burreed p. 2.
Sago Pond Plant p. 4. Horned Pond Plant p. 4.
Water Milfoil p. 5.

FOR MOUNTAINOUS AREAS OR COLD WATER

Horned Pond Plant p. 4. Elodea p. 5.

FOR N. W. STATES AND PROVINCES

(Includes N. $\frac{1}{3}$ Calif. and W. $\frac{1}{3}$ Mont.)

Horned Pond Plant p. 4. Giant Burreed p. 2.
Wild Celery p. 5. Elodea (Carp-resistant) p. 5.

FOR S. W. STATES (Includes S. $\frac{2}{3}$ Calif.)

Wild Duck Millet p. 1. Wapato Duck Potato p. 1.
Pickereel Plant p. 1. Giant Burreed p. 2.
Sago Pond Plant p. 4. Horned Pond Plant p. 4.
Banana Waterlily p. 6. Widgeon Grass (Salt) p. 6.

PLANT THIS SPRING.

Some of the best food and cover plants to attract Ducks, Fish and other Wildlife, for Spring planting, also the conditions under which these plants grow are described on the following pages.

Your orders are always very much appreciated.

Clyde B. Terrell
Wildlife Consultant.



P. S. We have several Hunting, Fishing and Lake Shore Tracts for Sale. Also operate a successful Muskrat Ranch. If interested write us.—C. B. T.


For Shallow Water and Marsh

Make Food, Cover and Control Washing.

(Protect These Plants From Live Stock.)

WAPATO Duck Potato

"Duck Potato" and "Muskrat Potato" are names often given this important food plant, (*Sagittaria latifolia*), that indicate its importance as a food. It produces numerous tubers, seed and tender



white runners that are eaten by geese, swan and practically all kinds of wild ducks, as well as muskrats. Has handsome arrow-shaped leaves -- stalks of white flowers with yellow center. Easily and quickly grown from Terrell's selected tubers. Thrives in practically all parts of U. S. and Canada, in marshy places, mud flats, and in water up to 1½ ft. deep. TUBERS: 1000, \$22.50; 100, \$3. Plant 1200 per acre.

WAPATO

PICKEREL PLANT (*Pontederia*) Florida-grown.

Provides food for Ducks and cover for Fish. Spikes of attractive blue flowers in summer. Withstands considerable current and wave action. Plant 600 per acre, on fairly rich soil in 1 to 3 ft. fresh water. Strong roots. A-1 Roots: 100, \$14; 250, \$30; 1000, \$100; 10, \$3. For Wis.-grown plants add 25% to prices.

DEEP WATER DUCK POTATO (*Sagittaria rigida*)

Splendid attraction for Bluebills and other diving ducks. Plant in No. U. S. in 1 to 3 ft. water, either hard or soft. Selected Tubers: 1000, \$30; 100, \$4; 1000 to acre.

WILD DUCK MILLET

For Mud Flats -- Lowland -- Lands That Can Be Drained and Flooded

Wild Duck Millet (*Echinochloa crus-galli*) is an important food for mallards, pintails and teal. It grows over most of the U. S. It grows 2 to 4 feet high, making considerable cover. It is also a food for geese, quail, doves and upland game birds and song birds as well as wild ducks.

Plant on mud flats, lowland areas left bare during summer when water goes down, or land along water's edge. Sow from April 1st to July 10 in the North and up to Sept. 1st in South and crop will be secured same season. Grade A1 seed: 100 lbs. (plants 5 acres) \$17.50; 50 lbs. \$9.00; bushel, (35 lbs.) \$7; peck \$2.

For Shallow Water and Marsh SMARTWEEDS (*Polygonum*)

Rate high as Duck Foods -- many varieties. Mostly lowland plants, surviving flood and drought. Use these perennial Varieties.

SMARTWEED -- Assorted Northern-grown Plants for planting in North, on lowlands in May - June. Use 2,000 per A. 1000, \$20; 100, \$3.

SMARTWEED. Assorted Southern-grown Plants for Southern States. For shallow water. Bu. \$4; 5 bu. (Plants A.) \$15. Available throughout Spring.

SWAMP SMARTWEED (*Polygonum hydropiperoides*). Moist margins, shallow hard or soft water. Good duck food. Plants 1000 - \$30; 100 - \$4. Use 1500 per acre. Perennial.

MARSH SMARTWEED (*Polygonum muhlenbergii*). Use on shores, shallow water. Stands fluctuating water levels, drought. 1000, \$30; 100, \$4. Use 1500 per acre. Perennial Duck food.

WATER SMARTWEED (*P. Amphibium*) Fine Duck Food. Plant 1500 to A. in water 6 in. to 4 ft. deep. PLANTS: 500, \$19; 1000, \$35.

GREAT BULRUSH (*Scirpus acutus*) Duck, Muskrat and Fish Food and Cover. Withstands wave action and protects banks, shores, and other plants. $\frac{1}{2}$ to 3 ft. fresh water. 1000, \$40; 100, \$5. Use 1500 per acre.

RIVER BULRUSH (*S. fluviatilis*). Duck and Muskrat Food and Cover. Grows in shallow water, marshes, withstands drought. 1000, \$35; 100, \$4. Use 1500 per acre.

SALTMARSH BULRUSH (*S. robustus*) Excellent Duck and Muskrat Food and Cover for Salt Marshes. Plant where flooded at high tide. 1000, \$35; 100, \$4.50.

SPIKE RUSH (*Eleocharis palustris*) Plant for Ducks from May through July on mud or few inches water. Clumps 1000, \$40; 100, \$5; 1500 to A.

GIANT BURREED (*Sparganium eurycarpum*)

Burs of seeds as big as kernels of corn. Makes good food for Mallards, Black Ducks, etc. "Tops" as Muskrat food and house material. Its rush-like growth, 2 to 3 feet tall, makes excellent cover, and its network of heavy, quarter-inch, runners, hold banks, stop erosion, and cause it to spread quickly. Survives floods, drought, and complete drying of land. Does best in not over 1 foot water. Thrives throughout U. S. PLANT on shores, marshes, lowlands, ditch banks and dams. ROOTS or PLANTS: 1000, \$30; 300, \$10; 100, \$4. Plant 1200 per acre.

For Shallow Water and Marsh

GIANT WILD RICE

Where Wild Rice grows you find Mallards, Black Ducks, Widgeons, Teal, Pintails, Canada Geese and other wildfowl swarming in to feed. Wild Rice beds are used by ducks as a place to hide their nests and rear their ducklings.



WHERE TO PLANT

Terrell's Giant Wild Rice is easy to grow. Conditions required for successful growth of Wild Rice are fresh water streams, lakes or ponds having an outlet, fairly rich bottom, and water from 6 inches to 3 feet in depth. Sunny, sheltered bays or coves where planting will not get the full current or direct wash of waves, suit it best. It grows best north of a line drawn from Savannah, Georgia, to San Francisco, California, although occasionally grown further south.

Giant Wild Rice can be planted with excellent results during either Fall or Spring. 2 bu. of Terrell's sure-growing seed or 3,000 plants will plant an acre. Provides both food and cover in one growing season. SEED for Spring Delivery: Full 30 Lb. Bu. \$27; pk. \$7.50, qt. \$1.50 (\$1.75 qt. postpaid). *Z. aquatica*

STURDY WILD RICE PLANTS June Delivery. Can ship safely about 1000 miles. *Z. aquatica*
100, \$2.75; 500, \$8; 3,000 (Plants 1 A.) \$39.50.

WAMPÉE (DUCK CORN) (*Peltandra virginica*)

Good duck food. For Swampy land, shallow fresh or slightly brackish tidal waters in eastern 1/4 of U.S. Produces an abundance of seeds as large as kernels of corn. SEED (Sow 10 lbs. per acre). lb., \$1.00 (\$1.25 postpaid). In lots of 10 lbs. or more, 95c per lb.

PLANTS: 100, \$8; 500, \$35; 1000, \$65.

FROGBIT (*Limnobium spongia*) Makes fine duck and fish food for southern states. Grow on marshy land or floating in water. Plant where it will not float away. 100 plants, \$7.50; 500, \$22.50; 1000, \$35. (Plant 500 to acre.)

RICE CUTGRASS (*Leersia oryzoides*). Rated "tops" as duck food along the Ill. R. by Ill. Natural History Survey. Grows 2ft. high on lowlands, waterside and marshes. Withstands flooding. Clumps: 1000, \$40; 100, \$6. Plant 1500 to the acre.

WATER CRESS. Plant in shallow springs, streams unfrozen in winter. Makes all-year duck and fish food. PLANTS: 1 bu., \$5; 5 bu., \$20. SEED: 1 pkt. (Sows 500 sq. ft.) \$1; 1 lb. (Sows 1/3 A.) \$17.50.

For Shallow Water and Marsh

CORD GRASS (*Spartina pectinata*). Fair duck food and makes good cover and blinds. Plant on damp shores. 5 ft. tall. Stands drought. Use 1500 per A. 1000, \$35; 100, \$4.50.

NORTHERN BAMBOO (REED GRASS or CANES) (*Phragmites*) for good blinds and cover. Strong, not easily broken down, stands up all fall and winter, 4 to 7 ft. high, feathery plumes. Grows on lowland and in water up to 2 ft. Resists waves, protects shores, when established. Plant 1 to 2 ft. apart. **ROOTS:** 1000, \$32.50. 100, \$4.

OTHER SHORE AND MARSH PLANTS SEE: Water Iris, Swamp Loosestrife (Good for Blinds), Marsh Mallow, page 8; Pheasant Berry, page 9; Cat-tail, Sweet Flag, page 10.

UNDER WATER PLANTS

SAGO POND PLANT

Best Duck and Fish Food for Alkali, Slightly Salt, Marl or Hard Water.

Authorities proclaim Sago Pond Plant (*Potamogeton pectinatus*) the best all around wild duck food, also the best food and shelter plants for fish. It is eaten by swans and over twenty kinds of ducks. Early in the fall it has clusters of seeds, the size of wheat, which are greedily eaten by blue-winged teal, mallards, and other early ducks. Later in the season, it produces great quantities of tubers almost equal to Wild Celery as Canvasback food. Carp-resistant.

Sago Pond Plant thrives throughout the entire U. S. and Canada. It should be planted only in hard clear waters containing some lime. Plant the tubers from April 1st to July 15th, in 1½ to 8 ft. of water, in sheltered bays on any kind of bottom but stony. Will spread to deeper and more exposed situations, grows submerged. Use 1200 tubers per acre. Terrell sells only selected tubers - each capable of producing vigorous growth. 1000, \$30; 300, \$10.50, 100, \$4. Weighted for planting 1000, \$36; 300, \$13; 100, \$5.

BASS WEED or REDHEAD GRASS (*P. perfoliatus*) Favorite of ducks and fish. Grows in fresh or slightly brackish water. Shoots or plants available Apr. and May: 1000, \$45; 100, \$7. (plant 1200 per acre.)

LONG-LEAF POND PLANT (*Potamogeton americanus*) Good for Ducks, Fish. For 2 to 6 ft. clear, fresh water, streams or lakes with outlet. Stands flood, drought. Bu., \$5; 5 bu. (Sows 1 acre) \$20.

HORNED POND PLANT (*Zannichellia*). A No. 1 Duck Food for hard fresh or salty and alkali ponds, streams. Also fine for fish. (See page 6)

UNDER WATER PLANTS

WILD CELERY For Diving Ducks and Fish

Canvasbacks, Bluebills and Redheads feed on Wild Celery (*Vallisneria spiralis*) in preference to other foods. Other ducks which feed on Wild Celery include Wood Duck, Widgeon, Pintail, Ruddy, Bufflehead, Whistler, Teal, Scoters, Mallard and Black Duck. Geese, Swans and Coots.

One of the best plants for "fish pastures". It is an ideal fish food and cover producer. Clears and aerates water. Picture on outside cover.

Wild Celery grows submerged and thrives in fairly clear, fresh or slightly brackish waters, not acid, in sheltered bays, 2 to 8 ft. deep. Water should contain some lime indicated by presence of shells. Thrives in practically all parts of United States and Canada. Easily grown from Terrell's selected winter-buds or plants, planted from March 20th to July 20th. Use 1,200 per acre, WINTERBUDS or PLANTS: No. Grown. 1000, \$18; 300, \$7.50; 100, \$2.75. Weighted for planting 1000, \$24; 300, \$10; 100, \$3.75.

SOUTHERN-GROWN WILD CELERY PLANTS: 1000, \$30. (Can not be furnished in lots of less than 1000.)

COONTAIL for Ducks and Fish. Floats -- no roots. Grows over any bottom. Supplies lots of food for Fish. Good Duck food. Scatter 12 bu. per acre where not easily washed away. PLANTS: Bu., \$4; 6 bu., \$21.

DUCK'S MEATS. Good duck and fish foods for quiet water. Not rooted to bottom, just float. Makes lots of food. Scatter among rushes to hold it.

SURFACE FLOATING DUCK MEAT (*Spirodela*) June to Oct. delivery. Plants: Bu., \$4; 5 bu. (sows A.) \$17.


EVERGREEN DUCKS MEAT (*Lemna trisulca*). Grows submerged in fresh water in No. U. S. and Canada. Plants: Bu., \$4; (6 bu. sows 1/2 A.) \$21.

WATER MILFOIL (*Myriophyllum*). Duck Food. Excellent food and cover for fish. Plants: Bu., \$5; 7 bu., (sows acre) \$28.

ELODEA (*Anacharis*). Carp-resistant, quick-growing food for Redheads, Mallards, Widgeon, Scaups, Teal. Endorsed by "Ducks Unlimited". For hard, clear, fresh water, even if quite cold. Plants: Bu., \$4; 10 bu., (sows 1 acre) \$35.

OTHER UNDER WATER PLANTS SEE:

Widgeon Grass, Muskgrass on next page. Bushy Pond Plant with Seed, Fall Delivery. Bu., \$7; 5 bu. (sows A.), \$30. Fine for both Ducks and Fish.



Lotus

Wild Celery

For Salty and Alkali Waters

WIDGEON GRASS (*Ruppia maritima*) Best Duck Food for Salty Water. Submerged. Entire plant eagerly eaten by practically all Ducks, Brant and Geese. Grows in $\frac{1}{2}$ to 10 feet water from slightly salty to full ocean strength, on either fertile or sandy bottom. Just the thing for coastal waters. Rooted Plants: Bu. \$10.00; 5 bu. (enough for acre).

HORNED POND PLANT (*Zannichellia*) Best Duck Food for semi-salt water up to 40% ocean strength. Also hard, clear fresh or alkali water 1 to 6 ft. deep, with sand, gravel or mud bottom. Plants: Bu., \$6; 5 bu. (sows $\frac{1}{2}$ A.) \$22.50.

SALTMARSH BULRUSH (*Scirpus robustus*) see page 2.

SALICORNIA (*Salicornia europaea*). Thrives on strongly saline or alkaline flats, low ground, marshy places, without much water. Plant 4 bu. per acre. PLANTS: Bu., \$10; 4 bu., \$36.

OTHER DUCK FOODS for somewhat SALT, BRACKISH and alkali waters, also grow in fresh hard water, are Sago Pond Plant, Wild Celery, Redhead Grass, and Bushy Pond Plant, described in this folder; and Muskgrass. (plant Muskgrass in fall).

MUSKGRASS: Bu., \$4 (5 Bu. sows acre). Pickerel Plant and Wampee also withstand slight brackishness.

Waterlilies

For Waterfowl
Fish and Flowers.

TUBEROUS WHITE WATERLILY (*C. tuberosa*) Tubers eaten by ducks. Produces attractive white sweet-scented blossoms. Provides splendid natural food and cover for fish. Plant on mud bottom in waters 1 to 4 ft. deep, using 750 tubers per acre. 100, \$6; 300, \$15; 1000 \$40.

BANANA WATERLILY (*Castalia mexicana*)


One of best duck foods for the Southern States. Plant in $1\frac{1}{2}$ to 3 ft. water in fertile soil. Handsome yellow flowers. Plants: 100, \$25; 1000, \$125.

WATER SHIELD. (*Brasenia schreberi*) Important food for Mallards, Black Ducks, Teal, Wood Ducks. Produces fish food and cover. Round floating leaves two inches across. Prefers 1 to 6 ft. acid or neutral water. Grows Hudson Bay to Florida. PLANTS: 1000, \$35; 500, \$20; 100, \$4.50. Plant 700 per acre.

AMERICAN LOTUS SEED. Produces Huge, Creamy Yellow Blossoms the size of luncheon plates. Makes food for ducks and fish. Plant 10 lbs. per acre in water 1 to 3 ft. deep. Seed chemically treated for sure quick germination: 10 lbs. \$17.50; 50 lbs. \$85; 1 lb. (postpaid) \$2.

UNTREATED SEED: \$1. per lb. (postpaid \$1.20 per lb.)

RARE PINK EGYPTIAN LOTUS: Prepared for quick germination: 4 seeds \$1. (postpaid).



ORDER BLANK



et Terrell's Seeds That Grow TERRELL'S

Aquatic Farms and Nurseries
Oshkosh, Wisconsin, U. S. A.
Established 1896

ORDERED BY

ADDRESS

SHIP TO

ADDRESS

WHEN SHIP?

SHIP VIA

More Food - More Fish - More Game. Plant Now.

Tear Off Here

Amount
enclosed \$

GOOD MATERIAL! GOOD MEASURE!
"Ask us about anything else — Our line is complete."

Flowers For Lowlands, Shores, etc.

BLUE WATER IRIS: Blooms May and June with beautiful Orchid-like Flowers. 10, \$1; 100, \$8; 500, \$25.

SWAMP LOOSESTRIFE: Long spikes of pink flowers in July and Aug. 10, \$5; 100, \$39.

MARSH MALLOW (Hibiscus): Flowers like a dainty Hollyhock in varied colors during Aug. and Sept. 10, \$5; 100, \$35.

"A Combination of these three plants will furnish an array of color throughout the summer."

FANCY WILD RICE FOR TABLE USE

NEW REDUCED PRICES

Extra Fancy — Order Now

1 lb. lots — ~~\$1.75~~ per lb.

2½ lbs. or more \$1.59 per lb.

10 lbs. or more \$1.49 per lb.



WE PAY POSTAGE

REFERENCES: Oshkosh National Bank, Oshkosh, Wis.; First National Bank, Oshkosh, Wis., Dun & Bradstreet's Mercantile Reference.

SHIPMENTS: Express shipments are most generally satisfactory for our planting material. When so shipped it reaches destination quickly, in best condition for planting. Large lots can often be sent by refrigerator freight or truck.

Prices are F. O. B., Oshkosh, or other shipping points, unless otherwise stated. If parcel Post shipment is desired, be sure to include with your remittance sufficient amount to pay charges.

TERMS: - Cash with Order or C. O. D.

GUARANTEE. If any of our planting materials fail to produce what the purchaser considers a satisfactory growth after giving planting sufficient time to establish itself, we GUARANTEE to replace it at half price, or send an equal value at half price of other planting material selected from our current price list.

PERSONAL HELP WITH PLANTINGS.

Every year I make trips to help others develop their places for Ducks, Fish, Muskrats and other Wildlife. It may be to the wilds of Quebec, the Carolina's, or the Pacific Coast. This wide experience is a great help to insure successful plantings. Surveys made and planting supervised if desired. If interested in such service, write me.—C. B. T.

Upland Game Food and Cover for Shores and Uplands

DUCK WHEAT, GOOSE BUCKWHEAT

For U. S., Canada, S. to N. C. and N. Cal. Attracts Ducks, Pheasants, Quail, Geese. Thrives on poor soil. Holds seed through winter, when birds need it most. Plant 50 lbs. Tested Tartary Buckwheat (Duck Wheat) seed per A., on almost any drained soil. By next fall you'll have food to attract and hold the game birds. 100 lbs., \$15; Bu. (50 lbs.) \$8; peck, \$3.00.

CHUFA or NUT-RUSH (*Cyperus esculentus*). Excellent dove food, good quail and wild turkey food. Good duck food when planted near water or flooded after maturity. Drop tubers in rows like corn or peas, or broadcast and drag in on sandy soil, from March through June. Tubers: Bu., \$25; Peck, \$7; Qt., \$1.25.

SESBANIA. Duck, Quail Food. Ill. South. Low, rich soil, 20 lbs. (sows A.) \$15; lb., \$1. (postpaid \$1.20)

PHALARIS GRASS: Stout grass 5 ft. high. Good for Muskrat Food and House material. Sow on low wet, bare land in No. U. S., So. Canada. After started stands 2 ft. water. SEED: 6 lbs. (sows acre) \$12.50, 1 lb., \$2.25 (\$2.45 prepaid); 25 lbs. or more \$2.00 per lb.

BERRY-BEARING TREES, SHRUBS, VINES

RUSSIAN MULBERRY (*Morus alba tatarica*) Abundance of fruit for the birds, and your table. Quail food. Gene Stratton Porter's favorite, stands drought, poor soil. 1 1/2 to 3 ft. 25, \$5; 100, \$15; 1,000, \$75. (Order Early)

	10	100
CORAL BERRY (<i>Symphoricarpos vulgaris</i>)		
Red berries in fall; makes good cover. Easy to grow. 1 to 1 1/2'. Quail, pheasant food...	\$3	\$25

VINES (Make Both Food and Cover)

AMERICAN BITTERSWEET (<i>Celastrus scandens</i>). Brilliant orange berries make food fall and winter. VINES: 2 yr. or over.....	\$5	\$35
(For grouse, quail, cover)		


PHEASANT BERRY (<i>Solanum dulcamara</i>) A shrubby, hardy, perennial vine, having numerous red berries that make attractive food for both ducks and upland game. This plant thrives throughout the U. S. on moist ground, poor dry ground, in shallow water, in almost any soil or in almost no soil at all. Very Hardy. 25 Vines, \$6.75;.....	\$3	\$25
---	-----	------

WILD WINTER GRAPE (*Vitis cordifolia*). Excellent food cover for quail, pheasants, grouse, prairie chickens, ducks, song birds. Ripens late. Makes fall and winter food. 1 to 2': 10, \$3.75; 50, \$9; 500, \$75.

ORDER NURSERY STOCK EARLY FOR SPRING delivery.
Better growth if you plant EARLY.

OTHER UPLAND GAME FOODS. See Wild Duck Millet.
Page 1.

Ask for prices on any other items you may want.



The Muskrat A Valuable Furbearer

GOOD MUSKRAT FOODS

The number of muskrats you can raise on your marsh or waters depends on the food supply. Muskrats will increase in numbers as far as the food supply permits, but no farther. Provide an abundance of muskrat pasturage and you may find fences, to retain them, unnecessary -- in fact, muskrats from other marshes will be attracted.

The following plants are the mainstay of the muskrat's food supply the year around. They are easily grown. Plant feeding beds here and there. When once started they will reseed.

KEY: *For Alkaline (hard) Waters. ‡ For Slightly Acid (soft) Waters. † House material.

FOR SHALLOW WATER UP TO 1 FT. DEEP
†*‡Sweet Flag, †*‡Cattail, **Wapato (Muskrat Potato). *†Bulrushes, *†Burreeds, ‡*†Phalaris Grass (see P. 9)

FOR WATERS 1/2 TO 3 FT. DEEP. †*‡Wild Rice.

FOR WATER 2 TO 5 FT. DEEP

‡* Water Lilies. *†Great Bulrush. †*Muskgrass.

BURREEDS, SWEET FLAG, Roots: 100, \$4; 1000, \$30; **BULRUSHES, See P. 2.**

MUSKRAT POTATO: 1000, \$22.50; 100, \$3.

CATTAIL, Roots: 1000, \$32.50; 100, \$4. **PURE SEED** (Solid, Fluff Removed.) Sow on muddy shores and flats. 1 lb. postpaid \$1.25; 10 lbs. (sows 1 A.) Not prepaid, \$5; 100 lbs., \$40.

Descriptions of above - see inside pages.

GET MORE AND BIGGER FISH

Certain plants provide plenty of food, also cover where small fish can escape from their enemies. They insure more young fish reaching maturity and increase fish production. Fish feed on parts of the plants and on the countless numbers of small insect and animal life which these plants support.

The following are excellent food and cover producing plants for fish:

Coontail, Ducks Meat, Pickerel Plant, Sago Pond Plant, Water Cress, Water Lilies, Water Milfoil, Water Shield, Wild Celery, Wild Rice, Muskgrass, Horned Pond Plant, Longleaf Pond Plant.



Plants mentioned above are described and prices given on inside pages.

62.97

Want More
DUCKS?

GAME?

FISH?

Plant Their
Favorite
Foods
On Nearby
Waters

SURE-GROWING FOODS
FOR SPRING PLANTING

TERRELL'S


AQUATIC FARMS & NURSERIES

The Original Wildlife Consultants

Oshkosh, Wisconsin, U. S. A.

Beds of Giant Wild Rice shown at left
make both food and cover for marsh ducks.

POSTMASTER: If forwarded to new
address notify us on Form 3547. If not
deliverable, return to us. Postage
guaranteed in either case.
TERRELL'S, Oshkosh, Wis., U. S. A.



(Sec. 34.66
F. L. & R.)

